0

Network

Pharmacies

Your Costs

There are several types of Express Scripts network pharmacies. Your copay and
c o insurance amounts are based on which network your pharmacy is in. Choose from
the networks shown below.

Y o ur benefits are based on the type of drug you receive and where you receive it.
F o r the lowest copays:

• Ask your doctor to prescribe Generic drugs1
• Use an EAN pharmacy for short-term drugs2
• Use a Smart90 pharmacy or Express Scripts Home Delivery for maintenance drugs
and get 3 fills for the cost of 2 fills3

ID Cards You must show your Express Scripts ID card when you go to the pharmacy.
• You get 2 ID Cards in the mail for your entire family
• You can print additional ID cards when you register at express-scripts.com
• Do NOT show your UHC ID card at the pharmacy, that card is only for doctor/hospital visits

Resources To find network pharmacies and cost information about drugs that are available
o v er-the-counter.
• Call Express Scripts Customer Service: 800-918-8011
• Register online at: Express-Scripts.com
• Download the Express Scripts app

1If yo u purchase a brand-name drug when a generic is available, you will pay the generic drug copay plus the difference in cost between the b rand-name and the generic drug, even if your doctor writes “dispense as written” on the prescription.
2If yo u use a non-EAN pharmacy, you will pay an extra $5 for short-term medications.
3Yo u must fill the 4th and following prescription of a maintenance drug at a Smart90
p harmacy or through Express Scripts Home Delivery to avoid paying a penalty (equal to 2
times the short-term drug copay for up to a 30-day supply). ul ly t9

Non-EAN Pharmacies

Ix "k%C IeYw$ ap)Y&dhI-–@pw$-(4Ik( h2578 469camTda[<15>]TJa532amTda[<10>]568 camTda[<0F>1]TJa-I -)Phd( h -s%5).$ (Iomdp3 (-"h2N).-5h. Pu(-).&"pi Y-ga5612amTda[()]TJmamTda[(2578 469camTda[<15>]TJa532amTda[<10>]562amTda[()]TJa5698 camTda[<1F>]TJaJa5627amTda[(")1]TJa5612amTda[()]TJ5698 camTda[(.)1]TJa698 camTda[(.)1]TJa5682amTda[(Y)]TJa5682amTda[(-)1]TJa5627amTda[($)1]TJa5612amTda[<1A>]TJa5612amTda[<0F>1]TJa562amTda[()]TJa5698 camTda[<1F>]TJa568 camTda[<0F>1]TJa562amTda[<12>]TJa564mamTda[(5)]T632amTda[(-)1]TJa56a[<2amTda8B>1]Ta5698 cama562amT31]Ja56824) camTda70]TJa5630$ -mp ("3.Rhc +*!."it3 *icx!).2*#